



BASE PLATE DETAIL
SCALE = 1:10
(10 REV'D)

HANDRAILING NOTES:

- STRUCTURAL STEEL SHALL BE IN ACCORDANCE WITH CAN/CSA-G40.21-1998
- HANDRAILING SHALL BE OF HSS 48mm O.D. x 3.8mm WALL THICKNESS, CLASS C STEEL 350W, IN ACCORDANCE WITH CAN/CSA-G40.21-M98.
- ALL MATERIAL TO BE HOT DIP GALVANIZED.

HANDRAIL DETAILS

1:25

No.	Date	Revision	By/For
C	MAY 16, 2011	GENERAL REVISION	
B	JAN 25, 2011	RETAINING WALL REVISION	
A	DEC 14, 2010	GENERAL REVISION	
	JAN 15, 2010	ISSUED FOR CONSTRUCTION	
	SEPT 18, 2009	ISSUED FOR TENDER	

SENIOR STRUCTURAL ENGINEER

STONE ARCH CULVERT EXTENSION
NEAR MOHAWK, ONTARIO

CULVERT NORTH EXTENSION DETAILS
HANDRAILING DETAILS

Drawn	Designed	Checked	Scale	Date
DGT	DGT	DGT	AS NOTED	JAN 15, 2010

Office of Chief Engineer
Bureau de l'ingénieur en chef

